of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 11:22:33 ON 06 NOV 2002

=> file agricola caplus biosis
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'AGRICOLA' ENTERED AT 11:22:44 ON 06 NOV 2002

FILE 'CAPLUS' ENTERED AT 11:22:44 ON 06 NOV 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 11:22:44 ON 06 NOV 2002 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> s histone deacetylase

L1 3238 HISTONE DEACETYLASE

=> s l1 and transcription

L2 1672 L1 AND TRANSCRIPTION

=> s 13 and express?

L4 836 L3 AND EXPRESS?

=> s 13 and transgenic?

L5 29 L3 AND TRANSGENIC?

=> dup rem 15

PROCESSING COMPLETED FOR L5

L6 22 DUP REM L5 (7 DUPLICATES REMOVED)

=> d 1-10 ti

- L6 ANSWER 1 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Conserved **regulation** of the lymphocyte-specific expression of Lck in the Fugu and mammals
- L6 ANSWER 2 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Deregulation of polyamine biosynthesis alters intrinsic histone acetyltransferase and deacetylase activities in murine skin and tumors
- L6 ANSWER 3 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Exchange of N-CoR corepressor and Tip60 coactivator complexes links gene expression by NF-kappaB and beta-amyloid precursor protein.
- L6 ANSWER 4 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Methods and compositions relating to histone deacetylase 4 and 5 regulation of cardiac gene expression
- L6 ANSWER 5 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Transgenic plants expressing histone

NEWS LOGIN

NEWS PHONE

NEWS WWW

Welcome to STN International! Enter x:x LOGINID:ssspta1649axm PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2 * * * * * * * * * * Welcome to STN International Web Page URLs for STN Seminar Schedule - N. America NEWS "Ask CAS" for self-help around the clock NEWS Apr 08 BEILSTEIN: Reload and Implementation of a New Subject Area NEWS Apr 09 ZDB will be removed from STN NEWS Apr 09 NEWS 5 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB Apr 19 NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available NEWS 9 Jun 03 New e-mail delivery for search results now available NEWS 10 Jun 10 MEDLINE Reload NEWS 11 Jun 10 PCTFULL has been reloaded NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment NEWS 13 Jul 22 USAN to be reloaded July 28, 2002; saved answer sets no longer valid NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY NEWS 15 Jul 30 NETFIRST to be removed from STN CANCERLIT reload NEWS 16 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN NEWS 17 Aug 08 NEWS 18 Aug 08 NTIS has been reloaded and enhanced NEWS 19 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN IFIPAT, IFICDB, and IFIUDB have been reloaded NEWS 20 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded NEWS 21 Aug 19 NEWS 22 Aug 26 Sequence searching in REGISTRY enhanced NEWS 23 Sep 03 JAPIO has been reloaded and enhanced Sep 16 Experimental properties added to the REGISTRY file NEWS 24 NEWS 25 Sep 16 Indexing added to some pre-1967 records in CA/CAPLUS NEWS 26 Sep 16 CA Section Thesaurus available in CAPLUS and CA Oct 01 CASREACT Enriched with Reactions from 1907 to 1985 NEWS 27 NEWS 28 Oct 21 EVENTLINE has been reloaded NEWS 29 Oct 24 BEILSTEIN adds new search fields NEWS 30 Oct 24 Nutraceuticals International (NUTRACEUT) now available on STN NEWS 31 Oct 25 MEDLINE SDI run of October 8, 2002 NEWS EXPRESS October 14 CURRENT WINDOWS VERSION IS V6.01, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information

Enter NEWS followed by the item number or name to see news on that specific topic.

Welcome Banner and News Items

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

CAS World Wide Web Site (general information)

Direct Dial and Telecommunication Network Access to STN

deacetylase genes for use in control of plant
development

- L6 ANSWER 6 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 1
- TI Repressor element silencing transcription factor/neuron-restrictive silencing factor (REST/NRSF) can act as an enhancer as well as a repressor of corticotropin-releasing hormone gene transcription
- L6 ANSWER 7 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Evidence for epigenetic mechanisms that silence both basal and immune-stimulated **transcription** of the IL-8 gene
- L6 ANSWER 8 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 2
- TI Intergenic transcription in the human .beta.-globin gene cluster
- L6 ANSWER 9 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Gene targeting reveals a crucial role for MTG8 in the gut.
- L6 ANSWER 10 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Histone deacetylase inhibitors induce remission in transgenic models of therapy-resistant acute promyelocytic leukemia

=> d 4 ab

- L6 ANSWER 4 OF 22 CAPLUS COPYRIGHT 2002 ACS
- The invention relates to cardiac hypertrophy. More particularly, the invention defines the mol. events linking calcium stimulation to cardiac hypertrophy. More specifically, the invention shows that Ca2+ stimulation of the hypertrophic response is mediated through an histone deacetylase (HDAC) 4 and 5 interaction with myocyte enhancer factor 2 (MEF2), and that phosphorylation of HDACs results in loss of HDAC-mediated repression of MEF2 hypertrophic action. Thus, the invention provides methods and compns. of treating cardiac hypertrophy, as well as methods and compns. for identifying subjects at risk for cardiac hypertrophy. Further provided are methods for the detection of compds. having therapeutic activity toward cardiac hypertrophy.

=> d 3 pi

L6 ANSWER 3 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

=> d 5 pi

- L6 ANSWER 5 OF 22 CAPLUS COPYRIGHT 2002 ACS
 PATENT NO. KIND DATE APPLICATION NO. DATE
- PI EP 1094112 A2 20010425 EP 2000-307375 20000829
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO

=> d 11-22 ti

- L6 ANSWER 11 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI The RARalpha-PLZF chimera blocks C/EBPalpha DNA binding and myeloid cell differentiation.
- L6 ANSWER 12 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI The IL-7 receptor controls the accessibility of the TCRgamma locus by

Stat5 and histone acetylation.

- L6 ANSWER 13 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Igf2/H19 imprinting control region (ICR): An insulator or a position-dependent silencer.
- L6 ANSWER 14 OF 22 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Role for the nuclear protein kinase HIPK2 in corepressor activity of Groucho during development.
- L6 ANSWER 15 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 3
- TI Blocking histone deacetylation in Arabidopsis induces pleiotropic effects on plant gene **regulation** and development
- L6 ANSWER 16 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI An Ikaros-containing chromatin-remodeling complex in adult-type erythroid cells
- L6 ANSWER 17 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Atrophin-1, the dentato-rubral and pallido-luysian atrophy gene product, interacts with ETO/MTG8 in the nuclear matrix and represses transcription
- L6 ANSWER 18 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 4
- TI Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana
- L6 ANSWER 19 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 5
- TI DNA methylation and histone deacetylation in the **control** of gene expression: basic biochemistry to human development and disease
- L6 ANSWER 20 OF 22 AGRICOLA DUPLICATE 6
- TI Functional analysis of HD2 histone deacetylase homologues in Arabidopsis thaliana.
- L6 ANSWER 21 OF 22 AGRICOLA
- TI A screen for mutations that prevent lethality caused by expression of activated sevenless and Ras1 in the Drosophila embryo.
- L6 ANSWER 22 OF 22 CAPLUS COPYRIGHT 2002 ACS
- TI Distinct interactions of PML-RAR.alpha. and PLZF-RAR.alpha. with corepressors determine differential responses to RA in APL
- => d 15 so
- L6 ANSWER 15 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 3
- Proceedings of the National Academy of Sciences of the United States of America (2001), 98(1), 200-205 CODEN: PNASA6; ISSN: 0027-8424
- => d 18 so
- L6 ANSWER 18 OF 22 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 4
- SO Plant Molecular Biology (2000), 44(2), 167-176 CODEN: PMBIDB; ISSN: 0167-4412
- => d 20 so
- L6 ANSWER 20 OF 22 AGRICOLA DUPLICATE 6
- The Plant journal : for cell and molecular biology, Apr 2000. Vol. 22, No. 1. p. 19-27

Publisher: Oxford : Blackwell Sciences Ltd.

ISSN: 0960-7412

=> s atrpd3a

L7 3 ATRPD3A

=> d 1-3 ti

L7 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS

- TI Transgenic plants expressing histone deacetylase genes for use in control of plant development
- L7 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS
- TI Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana
- L7 ANSWER 3 OF 3 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana.

=> d 1-2 so

- L7 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS
- SO Eur. Pat. Appl., 65 pp. CODEN: EPXXDW
- L7 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS
- SO Plant Molecular Biology (2000), 44(2), 167-176 CODEN: PMBIDB; ISSN: 0167-4412

=> s atrpd3b

L8 2 ATRPD3B

=> dup rem 18

PROCESSING COMPLETED FOR L8

L9 1 DUP REM L8 (1 DUPLICATE REMOVED)

=> d ti

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 1

TI Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana

=> d so

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 1

SO Plant Molecular Biology (2000), 44(2), 167-176 CODEN: PMBIDB; ISSN: 0167-4412

=> s athd2a or athd2b

L10 4 ATHD2A OR ATHD2B

=> dup rem 110

PROCESSING COMPLETED FOR L10

L11 2 DUP REM L10 (2 DUPLICATES REMOVED)

=> d 1-2 ti

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS

- TI Transgenic plants expressing histone deacetylase genes for use in control of plant development
- L11 ANSWER 2 OF 2 AGRICOLA DUPLICATE 1
 TI Functional analysis of HD2 histone deacetylase homologues in Arabidopsis thaliana.

=> d 1-2 so

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS

SO Eur. Pat. Appl., 65 pp. CODEN: EPXXDW

L11 ANSWER 2 OF 2 AGRICOLA DUPLICATE 1

The Plant journal: for cell and molecular biology, Apr 2000. Vol. 22, No. 1. p. 19-27

Publisher: Oxford : Blackwell Sciences Ltd.

ISSN: 0960-7412

=> d pi

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
PATENT NO. KIND DATE APPLICATION NO. DATE

PI EP 1094112 A2 20010425 EP 2000-307375 20000829
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO

=> s l1 and gal4 L12 75 L1 AND GAL4

=> s l12 and transgenic L13 5 L12 AND TRANSGENIC

=> dup rem 113 PROCESSING COMPLETED FOR L13 L14 3 DUP REM L13 (2 DUPLICATES REMOVED)

=> d 1-3 ti

L14 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS

TI Methods and compositions relating to **histone deacetylase** 4 and 5 regulation of cardiac gene expression

L14 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS

TI Transgenic plants expressing histone deacetylase genes for use in control of plant development

L14 ANSWER 3 OF 3 AGRICOLA DUPLICATE 1

TI Functional analysis of HD2 histone deacetylase homologues in Arabidopsis thaliana.

=> d 1-3 so

L14 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS

SO PCT Int. Appl., 126 pp. CODEN: PIXXD2

L14 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS

SO Eur. Pat. Appl., 65 pp.

CODEN: EPXXDW

L14 ANSWER 3 OF 3 AGRICOLA DUPLICATE 1 SO The Plant journal : for cell and molecular biology, Apr 2000. Vol. 22, No.

1. p. 19-27 Publisher: Oxford : Blackwell Sciences Ltd.

ISSN: 0960-7412